

K01321

1 Kantenprofilräs- und schleifmaschine im Durchlauf

Fabrikat: Langzauner

Typ: LZK-SD

Bj. 1989

Vorschub stufenlos

2 – 17 m/min

Vorschubmotor

1,5 kW

Werkstückbreite min. ca.

40 mm


Werkstückhöhe

4 – 100 mm



Aggregat 1:
Profilfräsen oben/unten
Motor jeweils
Drehzahl

0,75 kW
15.000 U/min



Aggregat 2:
Profilschleifen oben/unten
Motor jeweils
Schleifbandabmessungen B x L

0,37 kW
25 x 2.100 mm



Aggregat 3:	
Schleifen „gerade“ oszillierend	
Motor	2,2 kW
Oszillationsmotor	0,12 kW
Schleifbandabmessungen B x L	150 x 1.650 mm
Schleifbandgeschwindigkeit ca.	22 m/s



K01321
1 edge milling and sanding machine – thru feed
brandt: Langzauner
type: LZK-SD
year 1989

feed speed stepless	2 – 17 m/min
feeding motor	1.5 kW
min. panel width	40 mm
panel height	4 – 100 mm

aggregate 1:	
profile milling from top and bottom	
motor each	0,75 kW
revolution	15,000 rpm

aggregate 2:
 profile sanding top and bottom

motor each	0.37 kW
dimension of sanding belt h x l	25 x 2.100 mm

aggregate 3:

oscillating sanding „straight edge“

motor	2.2 kW
-------	--------

oscillating motor	0.12 kW
-------------------	---------

sanding belt dimension h x l	150 x 1.650 mm
------------------------------	----------------

speed of sanding belt approx.	22 m/s
-------------------------------	--------